APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/824,798	04/04/2001	Paul M. Reepschlager	3650-011US	2966

28470   7590   02/26/2003

G. RONALD BELL & ASSOCIATES
P O BOX 2450
POSTAL STATION D
OTTAWA, ON K1P 5W6
CANADA

EXAMINER
NGUYEN, TU T

ART UNIT	PAPER NUMBER
2877	

DATE MAILED: 02/26/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

-- Th MAILING DATE of this communication appears on th cov r sh et with the correspondenc address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>02 October 2002</u> .

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1 and 3-23</u> is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1 and 3-23</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

11)☐ The proposed drawing correction filed on _____ is: a)☐ approved b)☐ disapproved by the Examiner.

If approved, corrected drawings are required in reply to this Office action.

12)☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

13)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☐ All b)☐ Some * c)☐ None of:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____ .

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

14)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).

a) ☐ The translation of the foreign language provisional application has been received.

15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ .

4) ☐ Interview Summary (PTO-413) Paper No(s). _____ .

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: .

Detailed Office Action

The amendment filed on 12/02/2002 have been considered. By the amendments, claim 2 has been canceled, and claims 1,3-23 are now pending in the application. An action on the pending claims follow:

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

> The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1,3-23 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

With respect to claims 1, 12, the limitations "measuring first and second power profiles of the optical fiber span and of a plurality of system components, *said first power profiles being measured before application of one or more Raman pumps to said fiber span, and said second power profiles being measured after application of said one or more Raman pumps*, so as to determine the existence of a loss or a gain therein" are not disclosed in the original specification.

With respect to claims 3-11, 13-23, the claims are rejected as being dependent on the rejected base claims.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Since the scope of the limitations "measuring first and second power profiles of the optical fiber span and of a plurality of system components, _said first power profiles being measured before application of one or more Raman pumps to said fiber span, and said second power profiles being measured after application of said one or more Raman pumps_, so as to determine the existence of a loss or a gain therein" is beyond the scope of the original specification, the limitations "measuring first and second power profiles of the optical fiber span and of a plurality of system components, _said first power profiles being measured before application of one or more Raman pumps to said fiber span, and said second power profiles being measured after application of said one or more Raman pumps_, so as to determine the existence of a loss or a gain therein" is not treated herein.

Claims 1,4-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Berger et al (6,088,152).

With respect to claim 1, Berger discloses a method for determining a Raman gain of an optically amplified fiber optic span 130 (fig 2). The method comprises: measuring a power profile 25, 85 (fig 4; column 4, lines 27-32, lines 55-62; Po and Pi) for each of the plurality of system components 100-1 ... 100-k (fig 2); dynamically calculating the Raman gain/tilt base on the power profiles of the components (column 1, lines 56-60; column 4, lines 55-62).

Berger does not explicitly disclose calculating Raman gain based on the difference in the measured power profiles. However, calculating Raman gain based on the difference in the measured power profiles would have been known in the art. It would have been obvious to use the well known method for calculating the Raman gain easier.

With respect to claim 21,23, Berger discloses transmitting the measured power profiles to a central location 75 (fig 4; column 4, lines 55-62; Po, Pi); dynamically calculating the Raman gain/tilt base on the power profiles of the components (column 1, lines 56-60; column 4, lines 55-62).

Berger does not explicitly discloses the step of transmitting changes in the measured power profiles to the central location. However, since Berger teaches in column 1, lines 11-14 that the Raman gain is defined as the difference between the power of the long and short wavelengths and since Berger's central location 75 (fig 4) uses the two measured powers Po (the short wavelength) and Pi (the long wavelength) to determine the Raman gain/tilt, it would have been obvious that Berger calculates the changes in the measured power profiles using the available wavelengths P0 and Pi in the central location 75 (fig 4). It would have been obvious to one having ordinary skill in the art at the time of the invention was made to include the step

3

of calculating changes in the measured power profile to Berger's method and to transmit to the central location 75 (fig 2) in order to reduce computational burden of the central location to improve the speed and efficiency to the system.

Berger does not explicitly disclose the step of recalculating the Raman gain profile following the change. However, since Berger's system detecting the signal to offset the Raman gain, Berger would have been inherently disclose the step of recalculating the Raman gain profile following the change.

With respect to claims 4,22, Berger discloses measuring originating profile PO 100-1 (fig 2) at an output of the amplifier 130 (fig 4; column 4, lines 55-57); measuring an incident profile Pi at an input 130 of the amplifier 100-2 (fig 2) at the other end (column 4, lines 57-59). Berger does not explicitly teach measuring a loss profile of a fiber optic span. However, it would have been obvious to determine loss profile from the available originating profile and incident profile by determining the difference between the originating profile and incident profile, since obtaining the difference between the originating and the incident profile requires only routine skill in the art. It would have been obvious to include the step of measuring a loss profile of a fiber span to identify the defect of the fiber span easier.

With respect to claim 5, Berger does not explicitly teach determining that changes in the measured profile have occurred when the incident profile changes, and the originating profile and the Raman pump's power remain unchange. However, it would have been obvious to conclude that there is a change in the measured profiles when there is a change in the

4

incident profiles Pi (column 4, lines 57-59), and there is not any change in the originating

profile P0 (column 4, lines 55-57) and the compensating power of the pumps, since

determining if there is any changes in the measured profiles by comparing the available input

data profiles and output data profile requires only routine skill in the art.

With respect to claim 9, Berger does not explicitly disclose conveying a status update

on a regular basis . However, Berger suggests monitoring the changes periodically (column 5,

lines 1-4). It would have been obvious to one having ordinary skill in the art at the time of the

invention was made to transmit a conveying a status update on a regular basis in order to

provide the system with a current information so that the system can be adjusted in advance to

save the system's calculation time.

With respect to claim 10, Berger discloses dynamically calculating Raman gain profile

(column 1, lines 49-52, lines 56-60). Berger does not explicitly disclose calculating the gain

profile by summing incident profile with the loss profile and subtracting the result from the

originating profile. However, Berger discloses a controller 75 (fig 4) that determines Raman

gain using the incident profile Pi (column 4, lines 57-59) and originating profile P0 (column 4,

lines 55-57). Further, Official Notice is taken that Raman value is determined as the difference

between the originating power and the sum of the output signal from the fiber and the power

loss would have been well known in the art. See In Re Malcolm 1942 C.D.589: 543 O.G.440.

It would have been obvious to one having ordinary skill in the art at the time of the invention

was made to dynamically determining the Raman gain profile using the available originating

and incident profile and the power loss data of the fiber, since determining Raman gain using the known available data and the data taught by Berger as required by a specific need requires only routine skill in the art.

With respect to claim 11, Berger does not explicitly disclose calculating Raman gain at the receive amplifier. However, Berger teaches preconditioning optical signals prior to transmitting the signals over optical fiber span (column 1, lines 49-62). It would have been obvious to one having ordinary skill in the art at the time of the invention was made to calculate the Raman gain at the receive amplifier in order to eliminate signal distortion before allowing the signal to propagate through the next fiber span. This would help improve system performance.

With respect to claim 6, Berger does not disclose a conveying basic information over an overhead channel. It would have been obvious to one having ordinary skill in the art at the time of the invention was made to convey basic information directly from one device to another device over an overhead channel in order to prevent transmission delay which is well known to happen when transmitting through several intermediate systems.

With respect to claim 7, Berger discloses the step of transmitting changes when the magnitude of the change is outside limits defined by a tolerance band (column 6, lines 7-11). Refer to discussion in claim 1 above for explanation on transmitting changes to the central location.

With respect to claim 8, Berger discloses measuring originating profile PO 100-1 (fig 2) at an output of the amplifier 130 (fig 4; column 4, lines 55-57); measuring an incident profile Pi at an input 130 of the amplifier 100-2 (fig 2) at the other end (column 4, lines 57-59). Berger does not explicitly teach measuring a loss profile of a fiber optic span. However, it would have been obvious to determine loss profile from the available originating profile and incident profile by determining the difference between the originating profile and incident profile, since obtaining the difference between the originating and the incident profile requires only routine skill in the art. It would have been obvious to include the step of measuring a loss profile of a fiber span to identify the defect of the fiber span easier.

With respect to claim 12, refer to discussion in claim 1. The claimed system in claim 12 is just an extended of the method of claim 1. Further, Berger suggests using spectrum analyzer for measuring power profiles of the fiber optic span and system components (column 4, lines 27-32). Berger does not explicitly disclose using a plurality spectrum analyzer. However, Berger teaches monitoring and conditioning optical signals over an optical fiber span (column 1, lines 49-52). It would have been obvious to use multiple spectrum analyzers in order to determine power profile at each optical fiber span in parallel, since duplicating the number of spectrum analyzer of Berger required only routine skill in the art.

With respect to claim 13, refer to discussion in claim 6 above.

With respect to claim 14, Official Notice is taken that using a displaying for displaying

7

the result would have been well known in the art. See In Re Malcolm 1942 C.D.589: 543

O.G.440. It would have been obvious to one having ordinary skill in the art at the time of the

invention was made to include a well known display to Berger's system in order to report the

result to the user to facilitate monitoring task to the user.

With respect to claims 15-16, Berger discloses a microcomputer 75 (fig 4) for receiving

and dynamically calculating the Raman gain (column 4, lines 55-59; column 1, lines 56-60).

With respect to claim 17, Berger teaches integrating the means for receiving and

dynamically calculating into one means 75 (fig 4) (column 4, lines 55-59; column 1, lines 56-

60).

With respect to claim 18, Berger discloses a transmit amplifier 100_1 (fig 2) and the

receive amplifier 100_2 (fig 2).

With respect to claims 19-20, Berger does not disclose integrating the transmit

amplifier and a receive amplifier or integrating the means for receiving , means for

dynamically calculating and receive amplifier. However, Berger discloses a transmit amplifier

100-1 (fig 2); a receive amplifier 100-2 (fig 2); a means for receiving 100-2 (fig 2), means for

dynamically calculating 75 (fig 4), and a receive amplifier 100-2 (fig 2). It would have been

obvious to integrate the devices of Berger to one another in order to improve compactness of

the system, since integrating separate devices into one device requires only routine skill in the

art.

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Berger et al (6,088,152) in view of Stentz et al (6,163,636).

With respect to claim 3, Berger does not disclose a Raman Pump. However, Stentz discloses including a plurality of Raman pump 10 (fig 1) for providing additional optical amplification (column 3, lines 32-34). It would have been obvious to one having ordinary skill in the art at the time of the invention was made to add a plurality of the Raman pump to the optical fiber optic span of Berger to reduce the Raman gain in order to maintain the signal strength when the signal travel along a distance to make the system more reliable. Further, Berger in view of Stentz do not explicitly disclose the power setting for the Raman pump which are calculated relative to a loss profile of a fiber optic span measured under non traffic-carrying conditions. However, Using Raman pump to amplify the power loss of a fiber optic span would have been well known in the art. Further, since Stentz discloses several different Raman pumps with different power available to sufficiently compensate the power loss of the optical fiber (column 4, lines 10-16; column 1, lines 36-45).It would have been obvious to one having ordinary skill in the art at the time of the invention was made to set the power of the Raman pump to a loss profile in order to sufficiently make up for the power loss. Further, it would also have been obvious to use the loss profile measured under non-traffic carrying condition that provides the most stable characteristics of the fiber, since selecting the best profile to determine suitable power compensation require for a specific application requires

only routine skill in the art.

Response to Arguments

Applicant's arguments filed on 12/02/2002 have been fully considered but they are not persuasive.

Applicant's arguments on pages 7-10 about "*said first power profiles being measured before application of one or more Raman pumps to said fiber span, and said second power profiles being measured after application of said one or more Raman pumps*" introducing a new matter and have not been disclosed in the original specification. Since the scope of the limitation is beyond the scope of the original specification, the limitation is not treated.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Du et al (US 2002/0097481) discloses a method for calculating a Raman gain (page 1, paragraph [0006]) which read on claims 1,12 of the application.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until

after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tu T Nguyen whose telephone number is (703) 306-9185. The examiner can normally be reached on M-T 7:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G Font can be reached on (703) 308-4881. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9318 for regular communications and (703) 872-9319 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Tu Tuan Nguyen

Patent Examiner TC 2877

2/21/03

11